

Prepared for:
BODY ARMOR PRODUCTS LLC
PO BOX 1302
GLENROCK, WY USA 82637

Tfree Roll On

Batch ID or Lot Number: 230706RO	Test: Potency	Reported: 14Jul2023	USDA License: N/A
Matrix: Solution	Test ID: T000248387	Started: 12Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 10Jul2023	Status: N/A

Cannabinoids


	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.048	0.151	0.440	0.50	Density = 0.8911g/mL
Cannabichromenic Acid (CBCA)	0.044	0.138	ND	ND	
Cannabidiol (CBD)	0.190	0.445	38.980	43.70	
Cannabidiolic Acid (CBDA)	0.194	0.457	ND	ND	
Cannabidivarin (CBDV)	0.045	0.105	0.300	0.30	
Cannabidivarinic Acid (CBDVA)	0.081	0.190	ND	ND	
Cannabigerol (CBG)	0.027	0.086	0.670	0.80	
Cannabigerolic Acid (CBGA)	0.115	0.358	ND	ND	
Cannabinol (CBN)	0.036	0.112	0.660	0.70	
Cannabinolic Acid (CBNA)	0.078	0.244	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.137	0.427	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.124	0.388	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.110	0.343	ND	ND	
Tetrahydrocannabivarin (THCV)	0.025	0.078	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.097	0.303	ND	ND	
Total Cannabinoids			41.050	46.00	
Total Potential THC			ND	ND	
Total Potential CBD			38.980	43.70	

Final Approval



Karen Winternheimer
14Jul2023
08:16:00 AM MDT

PREPARED BY / DATE



Sam Smith
14Jul2023
08:18:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/06cc9a10-74a8-4962-93a6-efb958cb3e09>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
06cc9a1074a8496293a6efb958cb3e09.1